

Causality Assessment of Herb-Drug Interactions: Scientific Data vs. Diagnostic Scales

International Conference
Quality and Safety Issues Related to Botanicals
August 15-18, 2005. University, MS

Christopher J. Borgert, Ph.D. ^{1,2}
Kathleen Cullen Findley, M.ST., Pharm.D. ^{1,3}
Susana Ulloa, M.D. ¹
Susan A. Borgert, M.S. R.Ph. ¹

¹Applied Pharmacology & Toxicology, Inc., Gainesville, FL
²Department of Physiological Sciences, College of Vet. Med., UF, Gainesville, FL
³Veterans Administration Medical Center, Gainesville, FL

© Applied Pharmacology & Toxicology, Inc.

1

cborgert@apt-pharmatox.com

Why is it important to assess causality?

Did / Does a combination of agents really produce a specific clinical outcome?

Double-speak on issues of causality, particularly in the arena of interactions

Differences in goals and needs

Clinical / Public Health / Scientific / Legal

© Applied Pharmacology & Toxicology, Inc.

2

cborgert@apt-pharmatox.com

Objectives for Today's Presentation

- Consider the nature of scientific data.
- Consider the nature of a cause & means of assessing a cause.
- Compare means of assessing data on herbal-herbal & herbal-drug interactions.
- Argue our position.

Scientific Data ↑

Clinical Scales ↓

© Applied Pharmacology & Toxicology, Inc.

3

cborgert@apt-pharmatox.com

Fundamental Tenets of Science

- The identity of the measurements are demonstrable and amenable to estimation of error
- The elimination of extraneous factors that can affect the measurements is certain
- The result is repeatable in independent hands

© Applied Pharmacology & Toxicology, Inc.

4

cborgert@apt-pharmatox.com

Causality: 1800's - 1900's

Henle-Koch, 1882
[In Scheutz & Poulsen, 1999]

- Cause always present in disease
- Cause NOT in other diseases
- Cause is isolable from diseased individual
- Isolated cause produces same disease in other individuals (animals)

Hill, 1965


- Strength
- Consistency
- Specificity
- Temporality
- Biological Gradient
- Plausibility
- Coherence
- Experiment
- Analogy

© Applied Pharmacology & Toxicology, Inc.

5

cborgert@apt-pharmatox.com

Causal Chains Linear Causalism




Attena, 1999

© Applied Pharmacology & Toxicology, Inc.

6

cborgert@apt-pharmatox.com

Causal Constellations / Mosaics



Scheutz & Poulsen, 1999

© Applied Pharmacology & Toxicology, Inc.

7

qborgert@apt-pharmatox.com

Causal Propositions vs Causal Assessment

“Hill, Susser, and others recognize that these criteria do not define cause *per se*, but merely provide guidelines for assessing it. Nonetheless, the criteria are occasionally used by epidemiologists and clinical researchers as though they provide an operational definition of causality:

Kramer & Lane, 1992

© Applied Pharmacology & Toxicology, Inc.

8

qborgert@apt-pharmatox.com

Definitions of “Cause”

: that which produces an effect.

Oxford Dictionary [In Podrebarac et al. 1996]

: that which brings about any condition or produces any effect.

Dorland's Medical Dictionary, 27th Edition

: that which makes a difference.

: ‘... an object followed by another ... where, if the first object had not been, the second never had existed.’

David Hume, 1748 [In Maldonado & Greenland 2002]

© Applied Pharmacology & Toxicology, Inc.

9

qborgert@apt-pharmatox.com

Hume's Definition of “Cause”

“A key innovation of this definition was that it pivoted on a clause of the form ‘if C had not occurred, D would not have either,’ where C and D are actually what occurred.”

Maldonado & Greenland, 2002

© Applied Pharmacology & Toxicology, Inc.

10

qborgert@apt-pharmatox.com

Constructing the Counterfactual

- An alternative to the world observed;
- An alternative world that cannot be observed epidemiologically;
- The truth of a retrodictive causal proposition depends on the choice of the alternative world;
- “This principle applies to all three types of causal proposition; when a causal proposition interests us because we face a decision to which it is related, the choice of alternative world will be determined by the actions available to us.”
Kramer & Lane, 1992
- Clinical trials [experiment] creates the counterfactual.

© Applied Pharmacology & Toxicology, Inc.

11

qborgert@apt-pharmatox.com

Ranges of Rigor

Stringent Causal Criteria

- Based on linear causalism
- Implies chain of connected events
- Implies necessity of each event
- Can be refuted by disproving a link in the chain
- Causal propositions insecure
- May reject real causes

Relaxed Causal Criteria

- Based on causal mosaic
- Implies web of related events
- No single event necessary or sufficient
- Refutation requires disproving all events
- Causal propositions tenured
- May accept unfounded causes

© Applied Pharmacology & Toxicology, Inc.

12

qborgert@apt-pharmatox.com

Clinical Diagnostic Scales

Modified Drug Interaction Probability Scale

- ❖ Previous conclusive reports in humans
- ❖ Observed interaction consistent with known interactive properties of drug and supplement
- ❖ Temporal consistency
- ❖ Challenge / De-challenge . . . Dose-response
- ❖ Alternative causes

Wittkowsky A. 2005. *Thrombosis Research* (in press, June, 2005; online at <http://www.sciencedirect.com/science/journal/00493848>.)

Drug–Dietary Supplement Interaction Literature Sources

- Case Reports
- Clinical Studies
- Laboratory Studies

Borgert CJ, Borgert SA, Findley KC. Synergism, antagonism or additivity of dietary supplements: application of theory to case studies. *Thrombosis Research* (in press, June, 2005; online at <http://www.sciencedirect.com/science/journal/00493848>)

Problems Inherent in Published Literature on Interactions


McInnes & Brodie 1988. Drug interactions that matter. *Drugs* 36: 83-110.

- Literature over-populated.
- Case-Reports: relevant but anecdotal.
- Lab/Clinical Study: controlled, but questionable relevance & general applicability.
- Terminology used ambiguously; incorrectly.
 - “interaction,” “synergism,” “potentiation”
 - “No-Interaction” concept sorely lacking
- Data quality poorly evaluated.


Criteria for Evaluating Interaction Studies

1. Dose-response curves for the mixture components should be adequately characterized.
2. An appropriate “no-interaction” hypothesis should be explicitly stated and used as the basis for assessing synergy and antagonism.
3. Combinations of mixture components should be assessed across a sufficient range to support the goals of the study.
4. Formal statistical tests should be used to distinguish interaction from non-interaction.
5. Interactions should be assessed at relevant levels of biological organization.

Borgert et al., 2001. *Human & Ecological Risk Assessment*, 7(2): 259-306.



Isobologram



Algorithm for Applying Criteria

Fails Criterion						T	C
Partially Satisfies Criterion	0						
Satisfies Criterion	0.5						
	1.0						
Criterion	1	2	3	4	5	T	C
Score	X	X	X	X	X	Sum	0-1

- Does not weight individual criteria.
- Does not evaluate clinical relevance.
- Apply cautiously to mechanistic & p'kinetic studies.
- Challenging for whole animal or clinical studies.

© Applied Pharmacology & Toxicology, Inc.

19

qborgert @apt-pharmatox.com

Applying the Criteria Ginkgo

Steinke et al., 1993: Ginkgolides A + B *synergistically* inhibit platelet aggregation.

1. Full dose-response characterization of ginkgolides A and B.
2. Dose-addition defined as no-interaction hypothesis.
3. Tested 7 combinations at 50% inhibitory effect.
4. Applied formal statistical procedure to test differences between observed and expected (dose-additive) effects (Concave Isobole).
5. Assessed interaction at interpretable level of biol. organization.

Criterion	1	2	3	4	5	T	C
Score	1	1	1	1	1	5	1

© Applied Pharmacology & Toxicology, Inc.

20

qborgert @apt-pharmatox.com

Applying the Criteria Kangen Karyu (KGK)

Makino et al., 2002 (lab study in rats)

- KGK increases warfarin AUC at 2 g/kg, but not at 0.5g/kg in rats.
- KGK has no effect on PT at any dose tested in rats.
- 0.2g/kg and 0.5 g/kg + 1mg/kg warfarin increased bleeding time above warfarin alone by 20% and 25%, respectively.
- "Since KGK and warfarin *synergistically* exhibit anti-thrombotic effects, their combination would be therapeutically valuable."

Criterion	1	2	3	4	5	T	C
Score	0	0	0.5	0	1	1.5	0.3

- KGK alone inhibits platelets; increases bleeding time in mice.

© Applied Pharmacology & Toxicology, Inc.

21

qborgert @apt-pharmatox.com

Applying the Criteria American Ginseng

Duda et al. 1999: American ginseng and breast cancer therapeutic agents *synergistically* inhibit MCF-7 cancer cell growth.

R _x	Cell Survival	Expected Effect (?)	
TAM (1E-6M)	87%	(.87) x (.80)	(.13) + (.20)
TAM (1E-5M)	10%		
AG (60mg)	90%	.696 survival	.33 cell death
AG (80mg)	85%		
AG (100mg)	80%	.67 survival	
TAM + AG (100mg)	75%		

Criterion	1	2	3	4	5	T	C
Score	.5	0	0	0	0	0	0.1

© Applied Pharmacology & Toxicology, Inc.

22

qborgert @apt-pharmatox.com

Fundamental Tenets of Science

1. The identity of the measurements are demonstrable and amenable to estimation of error
2. The elimination of extraneous factors that can affect the measurements is certain
3. The result is repeatable in independent hands

- ✓ Satisfied by Henle-Koch
- ✓ May be satisfied by Hill, but requires criterion 8!
- ✓ Satisfied by Evaluative Criteria
- ✓ Not Satisfied by current formulations of CDS

© Applied Pharmacology & Toxicology, Inc.

23

qborgert @apt-pharmatox.com

Conclusion 1

- Evaluative Criteria
 - Deterministic, Objective
 - Requires measurement validity and error estimation
 - Requires counter-factual (i.e., controlled conditions)
 - Allows independent replication
 - Necessary for hypothesis-testing approach (Science)
 - Capable of establishing causality
 - Consistent with Evidence-Based Medicine

© Applied Pharmacology & Toxicology, Inc.

24

qborgert @apt-pharmatox.com

Conclusion 2

- Clinical Scales (“Diagnostic” or “Probability”)
 - Probabilistic, Subjective
 - Requires no measurement validity or controlled condition
 - Impossible to estimate error rate
 - Difficult to replicate
 - Cannot establish causality
 - May be useful for clinical judgments when data are absent
 - Inconsistent with Evidence-Based Medicine
 - Useful for hypothesis-generation about causes

